

SmartLF Ci 40

INNOVATION IN WIDE FORMAT SCANNERS AND SOFTWARE



Wide Format Scanners for General Purpose Technical Imaging

SUITABLE FOR:
TECHNICAL & CAD DRAWING OFFICES, AEC,
FACILITIES MANAGEMENT & ELECTRONIC
DOCUMENT CAPTURE (ISIS)



Awarded $4 \frac{1}{2}$ stars by BERTL, the SmartLF Ci 40 is a fast, accurate and affordable 40in technical document scanner. Offering easy walk-up, instant-on scanning and copying with front document loading & front exit, with connection to any workstation or printer across a network.

NEW IMPROVED MODEL

Capturing wide format technical documents in bulk just got easier. The unique ISIS driver provides connection to EDM/EDC systems for easy wide format document and data capture. The Colortrac SmartLF Ci 40 makes everyday batch scanning tasks now more efficient and more effective.



REMARKABLE AFFORDABILITY









Key Features

FAST SHARP, AFFORDABLE SCANNER

- ◆ 600dpi optical with 9600dpi maximum resolution
- ◆ 40in image width perfect for scanning A0/E-size documents
- ◆ NEW Includes SmartWorks EZ SCAN/COPY/ EMAIL software
- ◆ Sharp, fine image detail superb black & white capture
- ◆ CIS¹ technology with extra long-life, instant-on, long life bi-directional LED² illumination
- Convenient front document feed and exit for easy retrieval and minimal footprint
- High speed scans in monochrome and grayscale


- ◆ Scans media up to 0.012in (0.3mm/275gsm) suits ALL technical documents
- ◆ On-site upgrade from monochrome to color and express color via Email
- ◆ Fast, high quality scans from power-on, no warm-up, no waiting!
- ◆ Easy connectivity via USB2 or Gigabit Ethernet
- Unique ISIS certified wide format EDM document capture
- ◆ ENERGY STAR® Qualified powers down when idle



The SmartLF Ci 40 walk-up scanner offers professional A0 or Architectural E-size scan and print productivity at the touch of a button. Supplied with SmartWorks EZ software providing quick monochrome, greyscale or color scans to file, email or to any printer. With high quality CIS imaging technology, capture the finest details of all your technical drawings and maps with an unrivalled combination of sharpness, accuracy and bright colors.










Image Restoration



Archived Blueprints

Because you need large format scanning solutions that work for you:

SmartLF Ci 40 scanners include SmartWorks EZ SCAN/COPY/EMAIL software that combines wide format scanning and copying in one very easy to use program and has full compatibility with wide format printers through standard Windows drivers.

SmartWorks EZ is optimized for use with touchscreen monitors using a simple, intuitive user interface suitable for general office use.



SmartWorks EZ software -Everything you need is IN THE BOX!

Colortrac recommends:

SmartWorks Pro SCAN & COPY software for more demanding users.

The professional option with Colortrac's 'scan once' workflow for unrivalled control & productivity.

Includes Intelligent Adaptive Thresholding (IAT) - voted "Best in Class" and receiving 4.5 Star OUTSTANDING rating by BERTL.



Specifications

	Ci 40m	Ci 40c	Ci 40e
	Mono/Grayscale	+Color	+Express Color
	m → c		
Upgradeable	m → e	c → e	N/A
Optical Resolution	600dpi	600dpi	600dpi
Interpolated Resolution	9600dpi	9600dpi	9600dpi
Max Scan Width	40in (101.6cm)	40in (101.6cm)	40in (101.6cm)
Max Media Width	41in (104.1cm)	41in (104.1cm)	41in (104.1cm)
Max Media Thickness	0.012in (0.3mm/275gsm)	0.012in (0.3mm/275gsm)	0.012in (0.3mm/275gsm)
Accuracy	+/-0.1% +/-1 pixel	+/-0.1% +/-1 pixel	+/-0.1% +/-1 pixel
Imaging Technology	5 x CIS	5 x CIS	5 X CIS
Data Capture (color/grayscale)	16-bit	48-bit/16-bit	48-bit/16-bit
Color Space	N/A	RAW RGB/sRGB	RAW RGB/sRGB
Scan Speed 1-bit mono (in/sec) @200dpi	10.00	10.00	10.00
Scan Speed 8-bit grayscale (in/sec) @200	dpi 10.00	10.00	10.00
Scan Speed 24-bit color (in/sec) @200dpi	N/A	1.67	3.33
Paper Path	Face-up, front entry, front exit		
Interface	High Speed USB 2.0/Gigabit Ethernet network-ready		
Power Requirements	External power supply 100-250 VAC autosensing +/-10%, 50 - 60Hz Less than 40Wh (scanning) / 4.2Wh (standby)		
Weight & Dimensions (WxHxD)	49lbs	(22kg) 48.5 x 8 x 10.6in (123.2 x 20	.1 x 27cm)
Host Platform	Windows XP, Windows Vista, Windows 7, 32-bit and 64-bit architectures		
Certifications	CB, CE, FCC, UL, RoHS. ENERGY STAR®		
Included Software Sn	nartWorks EZ SCAN/COPY/EMAIL software - supports TIFF, JPEG, PNG & PDF; WIA/STI interface.		
Optional Software SmartWor	ks Pro SCAN & COPY software -	industry leading, professional scann	ing and color-copying software
	ISIS interface driver giving EDM/EDC capability		
Accessories Floor sta	or stand, Paper catch basket, Universal Repro Stand, PC and monitor mounting kit (floor stand required)		

CIS (contact image sensor). ²Unlike fluorescent tubes, LEDs only come on when scanning and have an estimated working-life of 50,000 hours or 6 years scanning 24/7.

[For full details of host system requirements please go to: http://www.colortrac.com/support/system_requirements.htm.] Colortrac Ltd makes no warranty of any kind with respect to the information contained in this document and reserves the right to change specifications without notice. Colortrac and Smart LF® are trademarks of Colortrac Ltd. All other trademarks are the property of their respective owners. Copyright © 2011 Colortrac Ltd. COLORTRAC SMARTLF WIDE FORMAT SCANNERS ARE DESIGNED AND MANUFACTURED BY COLORTRAC.

VERSION: 110310

YOUR COLORTRAC STOCKIST

www.colortrac.com

Colortrac Limited

Colortrac HQ and Factory 3-5 Brunel Court, Burrel Road, St Ives, Cambs PE27 3LW, UK Tel: +44 1480 464618 Fax: +44 1480 464620

Colortrac Inc.

4431-A Brookfield Corporate Drive Chantilly, Virginia 20151, USA Tel: +1 703 717 5631 Fax: +1 703 717 5361

Colortrac Japan

12th floor, 1203 Yokahama Creation Square, 5-1 Sakae-Cho Kanagawa-Ku, Yokohama-Shi Kanagawa-Ken 221-0052 Japan Tel: +81(0)45 548 6991 Fax: +81(0)45 548 6992

Colortrac Limited (Beijing)

Room 1208, ZhongGuanCun Technology Development Building C, No.34 Zhong Guan Cun South Street HaiDian District, Beijing 100081, P.R. China Tel: +86 (0) 10 62124936

Fax: +86 (0) 10 62124770